

# Cervix Uteri Cancer Staging

## Definitions

### Primary Tumor (T)

TNM CATEGORIES	FIGO STAGES	Definition
<b>TX</b>		Primary tumor cannot be assessed
<b>T0</b>		No evidence of primary tumor
<b>Tis*</b>		Carcinoma in situ (preinvasive carcinoma)
<b>T1 I</b>		Cervical carcinoma confined to uterus (extension to corpus should be disregarded)
<b>T1a** IA</b>		Invasive carcinoma diagnosed only by microscopy. Stromal invasion with a maximum depth of 5.0 mm measured from the base of the epithelium and a horizontal spread of 7.0 mm or less. Vascular space involvement, venous or lymphatic, does not affect classification
<b>T1a1 IA1</b>		Measured stromal invasion 3.0 mm or less in depth and 7.0 mm or less in horizontal spread
<b>T1a2 IA2</b>		Measured stromal invasion more than 3.0 mm and not more than 5.0 mm with a horizontal spread 7.0 mm or less
<b>T1b IB</b>		Clinically visible lesion confined to the cervix or microscopic lesion greater than T1a/IA2
<b>T1b1 IB1</b>		Clinically visible lesion 4.0 cm or less in greatest dimension
<b>T1b2 IB2</b>		Clinically visible lesion more than 4.0 cm in greatest dimension
<b>T2 II</b>		Cervical carcinoma invades beyond uterus but not to pelvic wall or to lower third of vagina
<b>T2a IIA</b>		Tumor without parametrial invasion
<b>T2a1 IIA1</b>		Clinically visible lesion 4.0 cm or less in greatest dimension
<b>T2a2 IIA2</b>		Clinically visible lesion more than 4.0 cm in greatest dimension
<b>T2b IIB</b>		Tumor with parametrial invasion
<b>T3 III</b>		Tumor extends to pelvic wall and/or involves lower third of vagina, and/or causes hydronephrosis or nonfunctioning kidney
<b>T3a IIIA</b>		Tumor involves lower third of vagina, no extension to pelvic wall
<b>T3b IIIB</b>		Tumor extends to pelvic wall and/or causes hydronephrosis or nonfunctioning kidney
<b>T4 IVA</b>		Tumor invades mucosa of bladder or rectum, and/or extends beyond true pelvis (bullous edema is not sufficient to classify a tumor as T4)




### Regional Lymph Nodes (N)

TNM CATEGORIES	FIGO STAGES	Definition
<b>NX</b>		Regional lymph nodes cannot be assessed
<b>N0</b>		No regional lymph node metastasis
<b>N1 IIIB</b>		Regional lymph node metastasis

### Distant Metastasis (M)

TNM CATEGORIES	FIGO STAGES	Definition
<b>M0</b>		No distant metastasis
<b>M1 IVB</b>		Distant metastasis (including peritoneal spread, involvement of supraclavicular, mediastinal, or paraaortic lymph nodes, lung, liver, or bone)

ANATOMIC STAGE/PROGNOSTIC GROUPS (FIGO 2008)			
Stage 0*	Tis	N0	M0
Stage I	T1	N0	M0
Stage IA	T1a	N0	M0
Stage IA1	T1a1	N0	M0
Stage IA2	T1a2	N0	M0
Stage IB	T1b	N0	M0
Stage IB1	T1b1	N0	M0
Stage IB2	T1b2	N0	M0
Stage II	T2	N0	M0
Stage IIA	T2a	N0	M0
Stage IIA1	T2a1	N0	M0
Stage IIA2	T2a2	N0	M0
Stage IIB	T2b	N0	M0
Stage III	T3	N0	M0
Stage IIIA	T3a	N0	M0
Stage IIIB	T3b	Any N	M0
	T1-3	N1	M0
Stage IVA	T4	Any N	M0
Stage IVB	Any T	Any N	M1



### Notes

- \* FIGO no longer includes Stage 0 (Tis).
- \*\* All macroscopically visible lesions—even with superficial invasion—are T1b/IB.



Financial support for AJCC 7th Edition Staging Posters provided by the American Cancer Society

